9

AD.



Planning Commission Staff Report

TO: PLANNING COMMISSION

FROM: MARIA S. CADAVID, AICP, CSBA, SENIOR PLANNER

480-503-6812, MARIA.SUNIGA-CADAVID@GILBERTAZ.GOV

THROUGH: CATHERINE LORBEER, AICP, PRINCIPAL PLANNER

480-503-6016, CATHERINE.LORBEER@GILBERTAZ.GOV

MEETING DATE: APRIL 2, 2014

SUBJECT: S13-14: BUNGALOWS AT COOLEY STATION, REQUEST TO

APPROVE A PRELIMINARY PLAT AND OPEN SPACE PLAN

FOR THE BUNGALOWS AT COOLEY STATION BY

WOODSIDE HOMES, FOR 191 HOME LOTS (LOTS 1-191) ON APPROXIMATELY 24 ACRES OF REAL PROPERTY LOCATED SOUTH AND EAST OF THE SOUTHEAST CORNER OF WADE

DRIVE AND VEST AVENUE IN THE SINGLE FAMILY

DETACHED (SF-D) ZONING DISTRICT WITH A PLANNED AREA DEVELOPMENT (PAD) OVERLAY ZONING DISTRICT.

STRATEGIC INITIATIVE: Community Livability

The proposed preliminary plat for a residential development meets the Development Plan for the Cooley Station PAD and implements the unique vision for the Gateway Character Area.

RECOMMENDED MOTION

Approval of the Preliminary Plat for S13-14: Bungalows at Cooley Station, approximately 24 acres of residential development consisting of 191 single family lots, generally located south and east of

the southeast corner of Wade Drive and Vest Avenue zoned Single Family-Detached (SF-D) with a Planned Area Development (PAD) overlay.

APPLICANTS/OWNER

Applicant Owner

Name EPS Group Inc. Name Recker Williams 80-FCT LLC/ETAL

Josh Hannon Jeff Cooley

Address 2245 S. Vineyard, Suite 101 Address 17407 E. Ray Road

Mesa, AZ 85210

Phone 480-503-2258 **Phone** 480-988-3110

Email: josh.hannon@epsgroupinc.com Email jeff@cooleystation.com

BACKGROUND/DISCUSSION

History

Date	Action
December 19, 2006	Town Council adopted Annexation No. A05-03, Ordinance No. 1878.
March 6, 2007	The Town Council adopted Ordinance No. 1900 in case Z06-74 to
	rezone approximately 302 acres that constitute the Cooley Station
	Residential, Office and Shopping Center Planned Area Development
	(PAD).
June 24, 2008	The Town Council adopted Ordinance No. 2179 in rezoning case Z07-
	117 and approved an amendment to an approximately 300 acre site in the
	Cooley Station PAD for the Residential, General Office and Shopping
	Center parcels to revise several conditions of Ordinance No. 1900 in
	zoning case Z06-74, modifying development standards for building and
	landscape setbacks, and revising the street sections and key street
	exhibits.
August 5, 2008	The Town Council approved Ordinance No. 2195 in case Z07-99, which
	rezoned approximately 198 acres from Maricopa County to Single
	Family Detached (SF-D) and 41 acres of Public Facilities/Institutional
	(PF/I) creating the Cooley Station Residential-2 Planned Area
2 1 2 2010	Development.
October 7, 2010	The Town Council adopted Ordinance No. 2304 amending
	approximately 97 acres of the Cooley Station Residential, General Office
	and Shopping Center PAD to add new exhibits and incorporate revised
15.0010	development standards for Parcel 11 (Heritage at Cooley Station).
January 17, 2013	Town Council approved Resolution No. 3148 for GP12-07 and,
	Ordinance No. 2413 for Z12-20 to rezone Parcel 16 of Cooley Station for
M 2 2012	a charter school (The Charter School Fund II).
May 2, 2013	The Town Council adopted Ordinance No. 2525 in rezoning case Z12-26
	and rezoned approximately 35 acres for a single family detached and
	Multi-Family Medium (MF-M) development in the Cooley Station
	(Parcels 12 and 13) for Fincher Fields residential development.

February 13, 2014	The Town Council adopted Ordinance No. 2473 in rezoning case Z13-32
	and rezoned approximately 5.9 acres from Single Family-Detached to
	Multi Family/Low for the Cooley Station Meeting House.

Overview

The approximately 24 acre parcel surrounds the land recently rezoned for the Meeting House in Cooley Station (Z13-32) at the southeast corner of Wade Drive and Vest Avenue. The residential development known as the Bungalows at Cooley Station will be built on Parcel 1B of the Cooley Station and will create 191 home lots of various sizes for a diverse housing product. Because the development is greater than 20 acres, the open space plan will be reviewed by the Design Review Board at their regular meeting of April 10, 2014.

Pre-Plat Summary

The preliminary plat proposed for the Bungalows at Cooley Station implements the Development Plan proposed by the latest entitlement process, which revised two of the exhibits of the Cooley Station Planned Area Development (PAD): the Development Plan illustration and the Street Sections for Cooley Station Residential where a street alley detail for Parcel 1B was added to the required street standards.

Standards	LDC SF-D	Cooley Station Ordinance No. 2473
Minimum Lot Size	3,000 sq. ft.	1,900 sq. ft.
Front setback	10'	8'
Rear yard setback	10'	10' (to the center of alley)
Lot Coverage		
One story	60%	65%
Two/Three-story	50%	55%

Surrounding Land Use & Zoning Designations:

	Existing Land Use	Existing Zoning	Existing Use
	Classification		
On site:	Residential $> 8 - 4$ DU/Acre	Single Family-Detached	Cooley Station
		(SF-D)	Parcel 1B
North:	Residential $> 5 - 8$ DU/Acre	Single Family-Detached	Cooley Station
		(SF-D)	Parcel 15
South:	Residential > 14-25 DU/Acre	Multi Family/Medium	Cooley Station
		(MF/M)	Parcel 3
East:	Residential > 14-25 DU/Acre	Multi Family/Medium	Cooley Station
		(MF/M)	Parcel 3
West	Residential > 3.5-5 DU/Acre	Multi Family/Medium	Lyon's Gate Parcel
		(MF/M)	11

Project Data Table

	Bungalows at Cooley Station – Parcel 1B
Gross Site Area	Approximately 24 acres
Existing Land Uses:	Residential > 5-8 DU/Acre
Existing Zoning:	Single Family Detached (SF-D) with a PAD overlay zoning district
Proposed Number of Lots Typical Lot Dimensions:	191 single family detached lots 40' x 88'
50 lots 21 lots 59 lots	40'x 72' 35'x 88' 35'x 72'
43 18	55'x 62'
Lot Size Range	2,520 to 3,520 sq. ft.
Proposed Common Open Space	1.3acres or approximately 25% of net area

Open Space Plan

The project is approximately 24 acres and will be reviewed by the Design Review Board at the April 10, 2014 meeting. The approval of the preliminary plat is subject to the approval of the open space by the Design Review Board. The second submittal is undergoing review at this time and as part of the required documentation, the applicant submitted a detailed Open Space plan addressing the technical information required during the first review.

The palette of trees is very ornamental by proposing Chitalpa tree, Chinese Pistache and Purple Leaf Plum. The greenery and shade benefits are achieved by proposing Evergreen Elms, Live Oak and Fan Tex Ash trees. A variety of colorful accent shrubs (9 different species) complement the tree palette. Final review of the Open Space document will be completed prior to the Design Review Board meeting in April.

PUBLIC NOTIFICATION AND INPUT

A notice of public hearing was published in a newspaper of general circulation in the Town, and an official notice was posted in all the required public places within the Town. No comments were received.

SCHOOL DISTRICT INPUT

The District had no comments.

PROPOSITION 207

An agreement to "Waive Claims for Diminution in Value" Pursuant to A.R.S. § 12-1134 was signed by the landowners of the subject site, in conformance with Section 5.201 of the Town of Gilbert Land Development Code. This waiver is located in the case file (S13-14).

FINDINGS

Staff provides the following findings of facts, subject to the conditions of approval provided below, to substantiate approval of S13-14 Bungalows at Cooley Station, Parcel 1B Preliminary Plat:

- 1. The project is consistent with the Residential Design Guidelines;
- 2. The project conforms to the Gateway Character Area of the General Plan and specifically to the Land Use, Community Design, and Environmental Planning Elements;
- 3. The project is consistent with all applicable provisions of the Zoning Code;
- 4. The project is compatible with adjacent and nearby residential development; and
- 5. The project design provides for safe and efficient provision of public services.

STAFF RECOMMENDATION

Move to approve the findings and **S13-14**, Bungalows at Cooley Station Parcel 1B, approximately 24 acres consisting of 191 single family lots, located south and east of the southeast corner of Warner and Recker Roads zoned Single Family-Detached (SF-D) with a PAD overlay, subject to the following conditions:

- 1. The Final Plat for Bungalows at Cooley Station Parcel 1B shall be in substantial conformance with Attachments 2 and 3, Preliminary Plat and Illustrative Landscape Plan approved by the Planning Commission at the April 2, 2014 public hearing.
- 2. The Preliminary Plat approval is subject to the approval of the Landscape Design Package by the Design Review Board.

Respectfully submitted,

María D. Cadardo

Maria S. Cadavid AICP, CSBA

Senior Planner

Attachments:

- 1. Notice of Public Hearing Map
- 2. Preliminary Plat for Bungalows at Cooley Station Parcel 1B (4 pp.)
- 3. Illustrative Landscape plan

S13-14 Notice of Public I Attachment 1: Notice of Public Hearing Map April 2, 2014

PLANNING COMMISSION DATE:

Wednesday, April 2, 2014* TIME: 6:00 PM

LOCATION: Gilbert Municipal Center, Council Chambers

50 E. Civic Center Drive Gilbert, Arizona 85296


* Call Planning Department to verify date and time: (480) 503-6700

REQUESTED ACTION:

S13-14: Request to approve a Preliminary Plat and Open Space Plan for the Bungalows at Cooley Station by Woodside Homes, for 191 home lots (Lots 1-191) on approximately 24 acres of real property located south and east of the southeast corner of Wade Drive and Vest Avenue in the Single Family Detached (SF-D) zoning district with a Planned Area Development (PAD) overlay zoning district.

* The application is available for public review at the Town of Gilbert Development Services division Monday - Thursday 7 a.m. - 6 p.m.

SITE LOCATION:



APPLICANT: EPS Group Inc.

CONTACT: Josh Hannon


ADDRESS: 2045 South Vineyard, Suite 101


Mesa, AZ 85210


TELEPHONE: 480-503-2250

E-MAIL: josh.hannon@epsgroupinc.com


PRELIMINARY PLAT THE BUNGALOWS AT COOLEY STATION A PORTION OF THE SE 1/4, SECTION 26, TOWNSHIP I SOUTH, RANGE 6 EAST OF THE GILA AND SALT RIVER BASE AND MERIDIAN, MARICOPA COUNTY, ARIZONA









COLLECTOR STREET - VEST AVE








LOCAL RESIDENTIAL STREET - OSBORN LANE & JOSHUA TREE LANE

SECTION BB - RESIDENTIAL COLLECTOR STREET CROSS SECTION "B'

S13-14 Attachment 2: Preliminary Plat for Bungalows at Cooley Station Parcel 1B (4 pp) April 2, 2014

VICINITY MAP



PROJECT TEAM

DEVELOPER: WOODSIDE HOMES 1811 S. ALMA SCHOOL ROAD MESA, AZ. 85210 TEL: (480) 755-2121 CONTACT: HEATHER DAVENPORT

ENGINEER:
EPS GROUP, INC.
2045 S. VINEYARD AVE., STE 101
MESA, AZ 85210
PHONE (480) 503-2250
EAV. (400, 103, 2359 FAX (480) 503-2258 CONTACT: BRYAN KITCHEN, PE

PROJECT DATA

A.P.N. GENERAL PLAN: CURRENT ZONING: CURRENT LAND USE: GROSS AREA: NET ABEA. NET AREA: TOTAL NO. OF LOTS: GROSS DENSITY: NET DENSITY: TRACT AREA

304-39-013A; 014A (PORTIONS THEREOF) RESIDENTIAL >8-14 DU/AC SINGLE FAMILY-DETACHED PAD (SF-D PAD) UNDEVELOPED / AGRICULTURAL +/- 23.78 ACRES +/- 20.53 ACRES 8.03 DU/AC.

5.07 ACRES (24.70% OF NET AREA) 0.99 ACRES (4.82% OF NET AREA) 6.06 ACRES (29.52% OF NET AREA) 2520 SQ. FT. 65%

GENERAL NOTES

- THIS PLAN IS NOT A CONSTRUCTION DOCUMENT. LOT DIMENSIONS ARE APPROXIMATE, FINAL LOT DIMENSIONS SHALL BE PER THE FINAL PLAT.
- THE SITE IS CURRENTLY UNDER AGRICULTURAL USE. THERE ARE NO NATIVE CACTI PRESENT.
 WATER VALVE AND FIRE HYDRANT LOCATIONS FER TOWN OF GILBERT LDC, PUBLIC WORKS AND ENGINEERING STANDARDS/DETAILS

- LDC, PUBLIC WORKS AND ENGINEERING STANDARDS/DETAILS
 REQUIREMENTS.

 8. ALL UTILITIES TO BE UNDERGROUND.
 9. ALL ROADS WILL BE CONSTRUCTED TO TOWN OF GILBERT
 STANDARDS, EXCEPT MODIFIED HEREIN.
 10. THIS DEVELOPMENT WILL PROVIDE FOR THE INSTALLATION OF
 REQUIRED STREET LIGHTS.
 11. THE HOMEOWNERS' ASSOCIATION (HOA) WILL BE RESPONSIBLE FOR
 THE MAINTENANCE OF ALL LANDSCAPE TRACTS.
 12. DRAINAGE CONCEPTS ARE SHOWN ON THE PRELIMINARY GRADING
 AND DRAINAGE PLAN.

UTILITIES

TOWN OF GILBERT TOWN OF GILBERT SOUTHWEST GAS SALT RIVER PROJECT (SRP) WATER SEWER GAS ELECTRIC CENTURYLINK / COX COMMUNICATIONS TELEPHONE TOWN OF GILBERT

BASIS OF BEARING

EAST LINE OF THE SE 1/4 OF SEC.26, T.1 N., R.6 E. ASSUMED BEARING: N00°47'52"W

BENCHMARK

3" TOG BRASS CAP IN HAND HOLE AT RECKER & GALVESTON ELEVATION: 1308.31 (TOG DATUM)

LOT SUMMARY

TOTAL NO OFLOTO	101	1000/
55' x 75'	18	9%
35' × 85'	45	24%
35' x 101'	57	30%
40' × 85'	23	12%
40' x 101'	48	25%
TYPE OF LOT	NO. OF LOTS	(%)

SHEET INDEX

ET I	CS01	COVER SHEET
T 2	PP01	PRELIMINARY PLAT
T 3	PP02	PRELIMINARY PLAT
T 4	PP03	AREA & DIMENSION TABLES

group, Inc

S ep

Plat Cover Sheet

Bungalows at Cooley Station Preliminary The



13-219

CS01 Sheet No.

of 4

13-219

TRACT	USE	ACRES
Α	LANDSCAPE, OPEN SPACE, AMENITY	0.54
В	LANDSCAPE, OPEN SPACE, AMENITY	1.04
С	LANDSCAPE, OPEN SPACE	0.52
D	LANDSCAPE, OPEN SPACE, AMENITY	0.52
Ε	LANDSCAPE, OPEN SPACE	0.55
F	LANDSCAPE, OPEN SPACE, PARKING	0.73
G	LANDSCAPE, OPEN SPACE	0.42
Н	LANDSCAPE, OPEN SPACE, PARKING	0.33
1	LANDSCAPE, OPEN SPACE, PARKING	0.32
J	LANDSCAPE, OPEN SPACE	0.10
TOTAL (PEN SPACE AREA	5.07
К	PRIVATE STREET	0.22
L	PRIVATE STREET	0.07
М	PRIVATE STREET	0.07
N	PRIVATE STREET	0.03
0	PRIVATE STREET	0.07
Р	PRIVATE STREET	0.07
Q	PRIVATE STREET	0.07
R	PRIVATE STREET	0.02
S	PRIVATE STREET	0.02
T	PRIVATE STREET	0.07
U	PRIVATE STREET	0.07
٧	PRIVATE STREET	0.21

CURVE TABLE

 CURVE
 LENGTH
 RADIUS
 DELTA
 TANGENT
 CHORD
 CHORD BRG

 C1
 64.38'
 41.00'
 89'57'55'
 40.98'
 57.97'
 S44'17'29"W

 C2
 53.25'
 400.00'
 7'37'38''
 26.66'
 53.21'
 N85'27'37"E

TOTAL TRACT AREA

TRACT USE TABLE

	LIINE IADE	_
LINE	BEARING	LENGTH
L1	N00*41'29"W	57.02
L2	N89"16'03"E	280.02
L3	S81*38'49"W	105.34
L4	S00*47'52"E	2.69'
L5	S00*47'52"E	472.42
L6	N89"18'32"E	259.00
L7	S00*47'52"E	472.42
L8	N89"18'32"E	259.00
L9	S00*47*52"E	389.50
L10	N89*20'37"E	151.16
L11	N00*39'23"W	136.00
L12	N89*20'37"E	151.84

6.06

LINE TABLE

	LINE TABLE								
ENGTH	LINE	BEARING	LENGTH						
57.02'	L13	N89"18'32"E	259.00'						
80.02	L14	S00'47'52"E	389.50'						
05.34	L15	N89"18'32"E	259.00'						
2.69'	L16	S00'47'52"E	389.50'						
72.42	L17	N89"18'32"E	150.44						
59.00'	L18	N89"18'32"E	152.56'						
72.42	L19	N89"18'32"E	259.00'						
59.00'	L20	N89"18'32"E	259.00'						
89.50	L21	N89"18'32"E	267.50						
151.16	L22	S00'47'52"E	389.50'						
36.00'	L23	N89"18'32"E	267.50						
51.84	L24	S00'43'34"E	129.58'						

Lot Table		Lot Table			Lot	Table	Lot	Table	
_ot#	Area		Lot#	Area		Lot#	Area	Lot #	Area
I	4040.00		21	3535.00		41	4125.00	61	2975.00
2	3535.00		22	4040.00		42	4500.00	62	2975.00
3	3535.00		23	3535.00		43	2975.00	63	4500.00
4	4040.00		24	3535.00		44	2975.00	64	3400.00
5	4040.00		25	3535.00		45	4125.00	65	2979.65
6	3535.00		26	4040.00		46	4496.91	66	4039.77
7	4040.52		27	3535.00		47	2974.21	67	3535.01
8	3536.25		28	3535.00		48	3397.28	68	4040.01
9	4910.79		29	3535.00		49	4122.85	69	2975.01
10	4041.24		30	4040.00		50	4500.00	70	2975.00
П	3536.88		31	3535.00		51	2975.00	71	3535.00
12	3537.62		32	3535.00		52	2975.00	72	4040.00
13	3535.98		33	4040.00		53	4125.00	73	3535.00
14	4040.00		34	4500.00		54	2975.00	74	4040.00
15	3535.00		35	2975.00		55	3535.00	75	2975.00
16	3535.00		36	2975.00		56	4040.00	76	3400.00
17	3535.00		37	4125.00		57	3535.00	77	3400.01
18	4040.00		38	4500.00		58	3400.00	78	2975.01
19	3535.00		39	2975.00		59	3400.00	79	3535.01
20	3535.00		40	2975.00		60	4125.00	80	4040.01
					•				

61 2975.00 81 3535.01 101 3535.00 121 3400.00 141 3692.08 62 2975.00 82 4040.01 102 4040.00 122 4125.00 142 3393.49 63 4500.00 83 2975.01 103 3535.00 123 2975.00 144 3974.38 64 3400.00 84 2975.00 104 4040.00 124 2975.00 144 3476.27 65 2979.65 85 3535.00 105 3400.00 126 3400.00 146 3974.77 66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 122 2975.00 147 3478.72 68 4040.01 88 4040.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90									l			l	l	
62 2975.00 82 4040.01 102 4040.00 122 4125.00 142 3393.49 63 4500.00 83 2975.01 103 3535.00 123 2975.00 143 3946.38 64 3400.00 84 2975.00 104 4040.00 124 2975.00 144 3476.27 65 2979.65 85 3535.00 105 3400.00 125 4500.00 146 3974.77 66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 122 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 71 3535.00 91	Lot#	Area	Lot#	Area	Lot#	Area	Lot#	Area		Lot#	Area		Lot#	Area
63 4500.00 83 2975.01 103 3535.00 123 2975.00 143 3946.38 64 3400.00 84 2975.00 104 4040.00 124 2975.00 144 3476.27 65 2979.65 85 3535.00 105 3400.00 125 4500.00 145 3973.79 66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 127 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3460.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91	61	2975.00	81	3535.01	101	3535.00	121	3400.00		141	3692.08		161	3990.30
64 3400.00 84 2975.00 104 4040.00 124 2975.00 144 3476.27 65 2979.65 85 3535.00 105 3400.00 125 4500.00 145 3973.79 66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 127 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3460.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92	62	2975.00	82	4040.01	102	4040.00	122	4125.00		142	3393.49		162	3492.31
65 2979.65 85 3535.00 105 3400.00 125 4500.00 145 3973.79 66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 127 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 3535.00 93	63	4500.00	83	2975.01	103	3535.00	123	2975.00		143	3946.38		163	3493.06
66 4039.77 86 4040.00 106 4125.00 126 3400.00 146 3974.77 67 3535.01 87 3535.00 107 2975.00 127 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 33535.00 93 4500.00 114 4040.01 134 3048.39 153 3981.09 74 4040.00 9	64	3400.00	84	2975.00	104	4040.00	124	2975.00		144	3476.27		164	4009.02
67 3535.01 87 3535.00 107 2975.00 127 2975.00 147 3478.72 68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 3535.00 93 4500.00 114 4040.01 134 3048.39 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95	65	2979.65	85	3535.00	105	3400.00	125	4500.00		145	3973.79		165	3954.61
68 4040.01 88 4040.00 108 2975.00 128 3400.00 148 3976.59 69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 3535.00 93 4500.00 113 3535.01 133 3482.99 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3535.01 115 2975.01 135 348.77 155 3985.68 77 3400.01 97<	66	4039.77	86	4040.00	106	4125.00	126	3400.00		146	3974.77		166	3284.51
69 2975.01 89 3400.00 109 4500.00 129 2975.00 149 3480.32 70 2975.00 90 4125.00 110 3400.01 130 3400.00 150 3978.42 71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 73 3535.00 93 4500.00 113 3535.01 133 3482.99 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3335.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3353.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98	67	3535.01	87	3535.00	107	2975.00	127	2975.00		147	3478.72		167	3121.37
70 2975.00 90 4125.00 I10 3400.01 I30 3400.00 I50 3978.42 71 3535.00 91 2975.00 I11 3535.01 I31 2975.00 I51 3481.91 72 4040.00 92 2975.00 I12 4040.01 I32 3482.04 I52 3482.66 73 3535.00 93 4500.00 I14 4040.01 I33 3482.99 I53 3981.09 74 4040.00 94 3400.01 I14 4040.01 I34 3048.39 I54 3484.26 75 2975.00 95 3335.01 I15 2975.01 I35 3484.77 I55 3984.71 76 3400.00 96 4040.01 I16 2975.00 I36 3485.72 I56 3985.68 77 3400.01 97 3353.01 I17 3535.00 I37 3050.78 I57 3488.27 78 2975.01 98	68	4040.01	88	4040.00	108	2975.00	128	3400.00		148	3976.59		168	3002.04
71 3535.00 91 2975.00 111 3535.01 131 2975.00 151 3481.91 72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 3535.00 93 4500.00 113 3535.01 133 3482.99 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3535.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	69	2975.01	89	3400.00	109	4500.00	129	2975.00		149	3480.32		169	3401.17
72 4040.00 92 2975.00 112 4040.01 132 3482.04 152 3482.66 73 3535.00 93 4500.00 113 3535.01 133 3482.99 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3535.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	70	2975.00	90	4125.00	110	3400.01	130	3400.00		150	3978.42		170	3400.99
73 3535.00 93 4500.00 113 3535.01 133 3482.99 153 3981.09 74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3535.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	71	3535.00	91	2975.00	111	3535.01	131	2975.00		151	3481.91		171	2975.72
74 4040.00 94 3400.01 114 4040.01 134 3048.39 154 3484.26 75 2975.00 95 3535.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	72	4040.00	92	2975.00	112	4040.01	132	3482.04		152	3482.66		172	2975.58
75 2975.00 95 3535.01 115 2975.01 135 3484.77 155 3984.71 76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	73	3535.00	93	4500.00	113	3535.01	133	3482.99		153	3981.09		173	3400.50
76 3400.00 96 4040.01 116 2975.00 136 3485.72 156 3985.68 77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	74	4040.00	94	3400.01	114	4040.01	134	3048.39		154	3484.26		174	2975.29
77 3400.01 97 3535.01 117 3535.00 137 3050.78 157 3488.27 78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	75	2975.00	95	3535.01	115	2975.01	135	3484.77		155	3984.71		175	2975.15
78 2975.01 98 4040.01 118 4040.00 138 3487.49 158 3987.50	76	3400.00	96	4040.01	116	2975.00	136	3485.72		156	3985.68		176	2974.05
	77	3400.01	97	3535.01	117	3535.00	137	3050.78		157	3488.27		177	4039.10
79 3535.01 99 2975.01 119 3535.00 139 3058.49 159 3489.86	78	2975.01	98	4040.01	118	4040.00	138	3487.49		158	3987.50		178	3680.64
	79	3535.01	99	2975.01	119	3535.00	139	3058.49		159	3489.86		179	4492.77

140 3084.72

Table	Lot Table			Lot	Table
Area	Lot#	Area		Lot#	Area
3400.00	141	3692.08		161	3990.30
4125.00	142	3393.49		162	3492.31
2975.00	143	3946.38		163	3493.06
2975.00	144	3476.27		164	4009.02
4500.00	145	3973.79		165	3954.61
3400.00	146	3974.77		166	3284.51
2975.00	147	3478.72		167	3121.37
3400.00	148	3976.59		168	3002.04
2975.00	149	3480.32		169	3401.17
3400.00	150	3978.42		170	3400.99
2975.00	151	3481.91		171	2975.72
3482.04	152	3482.66		172	2975.58
3482.99	153	3981.09		173	3400.50
3048.39	154	3484.26		174	2975.29
3484.77	155	3984.71		175	2975.15
3485.72	156	3985.68		176	2974.05
3050.78	157	3488.27		177	4039.10
3487.49	158	3987.50		178	3680.64
3058 49	159	3489 86	1	179	4492 77

160 3989.33

Lot Table

Lot # Area

181 3535.00 182 3535.00 183 4040.00 184 4040.00


185 3535.00 186 4040.00 187 3535.00 188 3535.00 189 4040.00 190 3535.00 191 3535.00 TOTAL AREA 688,265.20 SQ. FT.

LOT	DIAGRAMS	

100 2975.00

Lot Table

Lot Table



NOTE: THE HOMEOWNERS ASSOCIATION TO MAINTAIN ALL THE LANDSCAPE OUTSIDE OF THE INDIVIDUAL LOT PRIVATE YARDS.



AREA & DIMENSION TABLES

The Bungalows at Cooley Station

eps group, Inc.
Engineers, Planners & Surveyors





EXPIRES 109/30/16
Job No.

13-219

PP03 Sheet No.

4 of 4

VICINITY MAP SEC. 26 T.I S., R.6 E. RAY ROAD

PROJECT DATA

ASSESSOR PARCEL NO.: 304-39-014A; 014A (PORTIONS THEREOF)

ZONING: LOTS: GROSS AREA: +/- 23.78 ACRES NET AREA: OPEN SPACE: +/- 20.53 ACRES +/- 5.05 ACRES (21.2%)

TURF AREA: +/-1.34 ACRES / 58,500 SQ FT (30%)

NOTE


* ONLY FLOOR PLANS I AND 2 SHALL BE ALLOWED ON THESE LOTS IN ORDER TO FIT THE 10-FOOT SIDEYARD WITHIN THE LOT BOUNDARY

KEYNOTES

- PRIMARY ENTRY MONUMENTATION SIGNAGE
- SECONDARY ENTRY MONUMENTATION
- THEMATIC STREET TREE
- DECORATIVE PAVING
- POOL AMENITY WITH RAMADA TOT LOT (2-5 YEAR OLDS)
- TOT LOT (5-12 YEAR OLDS)
- 8 DECORATIVE VEHICULAR PAVERS
- (9) RAMADA
- 10 RESTROOM AND POOL EQUIPMENT
- IRRIGATION PUMP HOUSE LOCATION

PLANT LEGEND

SCIENTIFIC NAME	COMMON NAME	SIZE
Chitalpa tashkentensis 'Pink Dawn'	Chitalpa	24" Box
Dalbergia sissoo	Sissoo	24" Box
Fraxinus velutina 'Fan Tex'	Fan Tex Ash	24" Box
Pistacia chinensis	Chinese Pistache	36" Box
Prunus cerasifera 'Atropurpurea'	Purple Leaf Plum	24" Box
Pyrus calleryana 'Bradford'	Bradford Pear	24" Box
Quercus virginiana 'Heritage'	'Heritage' Live Oak	24" Box
Ulmus parvilfolia	Chinese Evergreen Elm	24" Box
Tree installed at the time of home con	15 Gal	
Tree installed at the time of home con	strction	24" Box
	SCIENTIFIC NAME Chitalpa tashkentensis 'Pink Dawn' Dalbergia sissoo Fraxinus velutina 'Fan Tex' Pistacia chinensis Prunus cerasifera 'Atropurpurea' Pyrus calleryana 'Bradford' Quercus virginiana 'Heritage' Ulmus parvilfolia Tree installed at the time of home con	SCIENTIFIC NAME Chitalpa tashkentensis 'Pink Dawn' Chitalpa Dalbergia sissoo Sissoo Fraxinus velutina 'Fan Tex' Fan Tex Ash Pistacia chinensis Chinese Pistache Prunus cerasifera 'Atropurpurea' Pyrus calleryana 'Bradford' Bradford Pear Quercus virginiana 'Heritage' 'Heritage' Live Oak







S13-14 Attachment 3: Illustrative Landscape Plan April 2, 2014

L-0.01 03.20.2014





ENTRY OBELISK SIGN -ENTRY MONUMENT SIGN WALL



PRIMARY ENTRY MONUMENT

2'-8" SQ. J'-10" SQ. PRECAST CONCRETE CAP, NATURAL CONCRETE COLOR 8"x4"x16" CMU COLUMN, TAPERED, COLOR A CAST BRONZE PLAQUE, BOTH SIDES 2'-2" CIP CONCRETE, NATURAL COLOR 8"x4"x16" CMU, COLOR A FINISHED GRADE

SECONDARY ENTRY MONUMENT

COLOR & MATERIALS SCHEDULE

	ITEM	COLOR & MANUFACTURER		
	COLOR A (CMU)	STANDARD CMU BLOCK WITH BLACK MORTAR COLOR: FUEGO RED BY SUPERLITE BLOCK		
	COLOR B (STEEL)	FLAT BLACK		
	COLOR C (CONCRETE)	NATURAL GRAY CONCRETE		
	RAMADA ROOF	S-TILE PALERMO BLEND BY US TILE		
	MORTAR AND GROUT	3/8" x 3/8" RAKED FINISH COLOR: BLACK		

GENERAL NOTES:


- 1. PEDESTRIAN GATES SHALL COMPLY WITH CURRENT CITY OF GILBERT FIRE CODE STANDARDS
- SEE MANUFACTURER'S RECOMMENDATIONS FOR GATE INSTALLATION.
- VERIFY GATE DIMENSIONS WITH MANUFACTURER'S SPECIFICATIONS.
- GATES TO BE SELF-CLOSING AND SELF-LATCHING PER CITY AND FIRE CODE REQUIREMENTS.


CMU COLUMN COLOR PER ELEVATION 4" x 6" TUBE STEEL LATTICE, COLOR PER ELEVATION 4" x 8" TUBE STEEL JOIST, COLOR PER ELEVATION 4" x 8" TUBE STEEL BEAM, COLOR PER ELEVATION 12" O.C. TYP 4" x 8" TUBE STEEL JOIST (POWDER COATED COLOR B) -12" O.C. TYP 4" x 6" TUBE STEEL LATTICE (POWDER COATED COLOR B) 4" x 8" TUBE STEEL BEAM (POWDER COATED COLOR B) 8" SQ. TUBE STEEL POST (POWDER COATED COLOR B) DECORATIVE COLUMN TYPE A PEDESTRIAN GATE WITH SELF- CLOSING HINGES & HARDWARE, POWDER COATED COLOR B FINISHED GRADE




—4'-9"—

2'-0"---3'-1"---







PERIMETER THEME WALL

VIEW FENCE AT POOL





